

Facilitated by



# Risk-based Inspection and advanced NDT

Why do we want to go for RBI?







- ➤ Master in Business Administration (MBA)
- ➤ Member of CEOC and ISO TC 135
- ➤ 25+ years experience in Mech. Integrity



➤ Mech./Chem. Engineer since 1991

- ➤ ASME AIS and ASME Committee Member
- CEN Committee Member for RBI
- ➤ 20 years experience with RBI



## Learning objectives





### Learn about ...

- what is RBI?
- what are some advanced NDT techniques



### See ...

how RBI is linked to inspection activities?




# Agenda

RBI – what is it and what are the benefits?
The legal situation and RBI - a challenge?
The main steps for RBI
RBI and NDT
Questions and summary



### RBI – What is it?

#### A nice risk matrix?



### No - RBI is a structured procedure to find OPTIMIZED answers for:

### WHAT?

to inspect and analyze – where to focus on and where not

### WHEN?

to inspect – what is a suitable interval or is a given interval ok?

### HOW?


to inspect – i.e. which method is most effective

### **EXTENT?**

Spot or 100%?



## RBI – Key benefits – Client's feedback






## RBI – Some savings

- ✓ concentrate on critical equipment
- ✓ prolongate inspection/turnaround intervals
- ✓ switch from intrusive to non-intrusive inspection





Savings over a 10 year period:				
Costs	ca. 43 %			
Production gain	21 days app. XX Mio €			




## Agenda

RBI – what is it and what are the benefits? The legal situation and RBI - a challenge? The main steps for RBI **RBI** and **NDT** Summary and conclusions




## The legal situation for in-service activities

### USA and many other countries in the world



some general rules
condition based
AND
reference to RBI





### Europe





different National Codes mostly time-based





## But ....

#### Bundesgesetzblatt <sup>1</sup>

Jahrgang 2004

Praktijkregels voor drukapparatuur

	Teil I		
2015	Ausgegeben zu Bonn am 6. Februar 2015	Nr. 4	
Tag	inhalt	Salte	
3. 2.2015	Verordnung zur Nouregelung der Anforderungen an den Arbeitsschutz bei der Verwendung von Arbeitsmittlin und Getäfnstoffen	49	

Es verordnen auf Grund

- des § 18 Absatz 1 und 2 Nummer 1, 2,3 und 5 sow den § 19 des Arbeitsschutzgesetzes, von denen § 18 Absatz 2 Nummer 5 zuletzt durch Artikel 227 Num-mer 1 der Verordnung vom 31. Oktober 2006 (BGB. I 8. 2407) galindert worden ist,
- des § 19 Absatz 1 in Verbindung mit Absatz 3 Num-mer 1.3, 4 Buchstabe a und h. Nummer 7, 8 und 10 des Chemikalengesetzes in der Fassung der Be kanntmachung vom 28. August 2013 (BGB).
- das § 34 Absatz 1 und 2 in Verbindung mit § 38 Ab-satz 2 und des § 37 Absatz 3 des Praduktsicher-heitsgesetzes vom 8. November 2011 (BGBL I 8. 2178; 2012 I S. 131) und
- des § 13 des Heimarbeitsgesetzes, der durch Artikei I Nummer 9 des Gesetzes vom 29. Oktober 1974 (BGBI. I S. 2879) gelindert worden ist,
- ie Bundesregierung und auf Grund
- des § 49 Absatz 4 Satz 1 Nummer 1 bis 5 des Ener glewirtschaftsgesetzes, der durch Artikel 6 Nummer 1
- S. 1066) gelindert worden ist, in Verbindung mit 5 i Absatz 2 des Zuständigkeitsanpassungsgesetzes vom 16. August 2002 (BGBL I S. 3165) und dem Or-4310) das Bundesministerium für Wittschaft und
- des Zuständigkeitsanpassungsgesetzes 5 s schutzmatrenmen bei Getarndungen durch innegen, igengelden und Stilledund 3.3165) und dem Or-ediass vom 17. Dezember 2013 (BGB. I § 9 Webers Einstamskrinnen bei der Verwendung von Ar-

Procedures

2.3 Periodieke herbeoordeling

durch das Bundesgesetz BGBI. I Nr. 136/2001, wird verordnet

BUNDESGESETZBLATT FÜR DIE REPUBLIK ÖSTERREICH

Ausgegeben am 4. November 2004

Druckgeräteüberwachungsverordnung - DGÜW-V

420. Verordnung des Bundesministers für Wirtschaft und Arbeit über sicherheitstechnische Bestimmungen für Prüfungen bei der Inbetriebnahme und während des Betriebes von Druckgeräten (Druckgeräteüberwachungsverordnung - DGÜW-V)

Auf Grund der §§ 10 Abs. 1, 18 Abs. 4 und 19 Kesselgesetz, BGBl. Nr. 211/1992, zuletzt gelinder

Teil II

- > Some European countries do explicitly allow to make use of RBI
- > Some other countries do accept RBI though it is not directly mentioned, e.g. German Prüfkonzept acc. to EK-ZÜS paper (2015), which is now implemented in TRBS 1201-2 (2018)

in no country it is forbidden to go for RBI !!!



# Agenda

RBI – what is it and what are the benefits?
The legal situation and RBI - a challenge?
The main steps for RBI
RBI and NDT
Questions and summary



## Introduction to Risk-based Inspection – RBI - what is it?

### Definition (API 580/581)

### **RBI**

A risk assessment and management process that is focused on loss of containment of pressurized equipment in processing facilities, due to material deterioration. These risks are managed primarily through equipment inspection.





#### **RBI**

A risk assessment and management process that is <u>focused on loss of containment of pressurized</u> <u>equipment in processing facilities</u>, due to material deterioration. These risks are managed primarily through equipment inspection.



### Consequence of Failure (CoF)





other consequences like reputation loss, repair costs, ...






#### **RBI**

A risk assessment and management process that is focused on loss of containment of pressurized equipment in processing facilities, <u>due to material deterioration</u>. These risks are managed primarily through equipment inspection.








#### **RBI**

A risk assessment and management process that is focused on loss of containment of pressurized equipment in processing facilities, <u>due to material deterioration</u>. These risks are managed primarily through equipment inspection.









#### **RBI**

A <u>risk assessment</u> and management <u>process</u> that is focused on loss of containment of pressurized equipment in processing facilities, due to material deterioration. These risks are managed primarily through equipment inspection.








#### RBI

A risk assessment and management process that is focused on loss of containment of pressurized equipment in processing facilities, due to material deterioration. These risks are **managed primarily through equipment inspection.** 









#### **RBI**

A risk assessment and management process that is focused on loss of containment of pressurized equipment in processing facilities, due to material deterioration. These risks are managed primarily through equipment inspection <u>and monitoring.</u>









#### RBI

A risk assessment and management process that is focused on loss of containment of pressurized equipment in processing facilities, due to material deterioration. These risks are managed primarily through equipment inspection <u>and monitoring.</u>









#### RBI

A risk assessment and management process that is focused on loss of containment of pressurized equipment in processing facilities, due to material deterioration. These risks are <u>managed primarily</u> through equipment inspection <u>and monitoring</u>.









#### RBI

A risk assessment and management process that is focused on loss of containment of pressurized equipment in processing facilities, due to material deterioration. These risks are <u>managed primarily</u> through equipment inspection <u>and monitoring</u>.









#### RBI

A risk assessment and <u>management process</u> that is focused on loss of containment of pressurized equipment in processing facilities, due to material deterioration. These risks are managed primarily through equipment inspection <u>and monitoring</u>.







### Assessment & Strategy

#### Degradation Mechanism










Risk

### Detailed Planning

#### Inspection Methodology






Monitoring



#### Location



#### Timing



### Implementation & Evergreening


#### **Management System**





## With respect to NDT – what do we get from RBI?

#### A nice risk matrix?



### No - RBI is a structured procedure to find OPTIMIZED answers for:

#### WHAT?

to inspect and analyze – where to focus on and where not

#### WHEN?

to inspect – what is a suitable interval or is a given interval ok?


#### HOW?


to inspect – i.e. which method is most effective

#### EXTENT?


Spot or 100%?

## What to inspect?












No - RBI is a structured procedure to find OPTIMIZED answers for






WHAT?
to inspect and analyze – where to focus on and where not

WHEN? to inspect – what is a suitable interval or is a given interval

HOW? to inspect – i.e. which method is most effect

EXTENT? Spot or 100%?



## How to inspect?




- ➤ General and localized metal loss, → corrosion/ erosion
- ➤ Surface connected cracking → fatigue, SCC
- $\rightarrow$  Subsurface cracking  $\rightarrow$  wet H<sub>2</sub>S, hydrogen induced cracking
- ➤ High-temperature microfissuring/microvoid formation and eventual macrocracking → HTHA, creep
- ➤ Metallurgical changes → hydrogen embrittlement, graphitization
- ➤ Blistering → hydrogen blistering



## How to inspect

The anomaly	The NDT method	comments
General corrosion	Corrosion Mapping using - Ultrasonics - Laser (3D Laser)	<ul> <li>Laser can scan and provide profilometry information of the corroded area. Remaining wall has to be assumed based on calculations (mind the nominal wall may vary by up to 10%)</li> <li>Ultrasound can scan from the opposite site due to missing coupling in case immersion isn't allowed (PA or Burst probes are appropriate)</li> <li>Mind the following:         <ul> <li>Within the corrosion area there maybe also pitting corrosion</li> <li>Within the general corrosion area there may be also cracks</li> </ul> </li> </ul>
Localised corrosion (or pitting corrosion)	<ul><li>Properly dimemsioned</li><li>Ultrasonics</li><li>Phased Array</li><li>Somehow: potential drop</li><li>Hall sensor array /SLOFEC</li></ul>	<ul> <li>UT: Calibration blocks are required that have flat bottom holes of various depths and diameters are useful for identifying transducer limitations. Resolution 4 to 5 mm. Takes long time. PA is much faster.</li> <li>Recommended use of A-Scan flaw detector or simply A-scan modus to scan the surface</li> <li>Apply overlapping scans (PT may help to determine width of the scanning path)</li> <li>Experienced technicians are needed</li> </ul>
HIC and SOHIC	ToFD + PA combination  Eddy currents  Somehow: Potential drop	<ul> <li>Both are to be applied simultaneously</li> <li>ToFD – Screening the weld region including HAZ to detect HIC and SOHIC</li> <li>PA – Verification of Stepwise cracking and sizing extent of damage</li> <li>Sometimes: Add TRL transducers to accurately determine stepwise cracking</li> <li>Eddy currents (incl ACFM) are also a good alternative for the detection. Not appropriate for depth sizing.</li> </ul>
High temperature Hydrogen Attack (HTHA)	Phased Array ToFD Ultrasonic Back scattering	<ul> <li>Phased Array is one of the primary methods to use when it comes to HTHA</li> <li>ToFD is essential for analysing through-wall depth crack characteristics. It is the best for assessing and detecting all type of weld anomalies.</li> <li>Ultrasonic backscattering. Makes use of the ultrasonic signal being scattered in the grain boundaries resulting from the presence of hydrogen damage. There is a direct correlation to affected material thickness. 10 Mhz and 5 MHz transducers are typically used in combination.</li> </ul>


## Location and extent of inspection





#### No - RBI is a structured procedure to find OPTIMIZED answers for






<u>WHAT?</u> to inspect and analyze – where to focus on and where not

<u>when?</u>
to inspect – what is a suitable interval or is a given interval

to inspect – i.e. which method is most effective

EXTENT? Spot or 100%?





# Agenda

RBI – what is it and what are the benefits?
The legal situation and RBI - a a challenge?
The main steps for RBI
RBI and NDT
Questions and summary



## Classic way to select an inspection technique

### Proper inspection planning requires:

- consideration of material issues
- susceptible degradation mechanisms and failure modes
- what needs to be reported
- process knowledge and plant specifics

- → what is possible?
- → what do we need to find?
- → sizing accuracy
- → process, accessability, ...

with a thorough RBI all these issues are addressed



## Good practice is a combination of techniques .....


- > Standard and well establised techniques (VT, UT, RT, MT, PT, ...)
- Guided long ultrasonic waves
- > ToFD
- Phased Array
- Digital radiography
- Acoustic Emmission testing
- Permanent Monitoring (predictive analytics)
- **>** ......



.. to get a good overview (screening) plus quantitative results for the assessment




## Digital radiography






## Advanced UT (ToFD and Phased Array) to characterize cracks

ToFD



Phased Array Tandem




Mid wall crack

Through wall crack

Question: What is correct?



## Advanced UT (ToFD and Phased Array) to characterize cracks




Ultrasonic Immersion test: Through wall crack

conclusion: ToFD failed in this particular case



Permanent monitoring



### Digital dashboard

Key Outcome

- wall thickness
   deterioration over time
- real time FFS
- real time RLA

#### **Prediction:**

- when to repair
- when to order new parts

.. keeping an eye on corrosion – best way for predictive analytics



## **Summary NDT**

- Anomalies like Cracking, Corrosion, Blistering, HIC, SOHIC damage can occur throughout the production facility especially whenever there is a wet H2S environment present.
- Ultrasonic methodologies are the most prominent answer to those challenges.
- Corresponding technologies (TofD, Phased Array, TofR, UT Backscattering, etc.) are to be properly selected by experience Level III NDT specialists in close cooperation with the RBI engineers
- Our Level III services are specifically designed to support plant operators to best comply with the RBI assessments and recommendations
- Permanent monitoring of critical assets represent the most modern and advanced way to access damage and to predict the future and so save significant costs and increase plant availability



# Agenda

RBI – what is it and what are the benefits?
The legal situation and RBI - a challenge?
The main steps for RBI
RBI and NDT
Questions and summary



## Summary

- > RBI is intended to give a structured procedure to answer the relevant questions around inspection planning
- There are many cost-saving opportunities when going for RBI, which are related to interval prolongation, non-intrusive instead of intrusive inspections, long-term plannability
- Systematic selection of effective and efficient NDT techniques



## Feedback and new topics

	So so		Quite good				Very good			
	1	2	3	4	5	6	7	8	9	10
How did you like this webinar?										
Were the speakers understandable?										
Did the webinar match your expectations?										
Any comment?										

Our next Webinar will be focussing on a concrete case study. We will demonstrate in detail how RBI was applied in an industrial facility and how NDT and RBI came together to save significant costs and to increase plant availability

Interested in attending?	
Email Address: (We will contact you using this address)	
Company:	